



**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50400-R		
Description:	CASTER 4X2 PHENOLIC RIGID 550LB CAP.		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	3.93		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Rigid	Break:	No
Weight:	3.41	Load Limit:	550
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50400-S		
Description:	CASTER 4X2 PHENOLIC SWIVEL 550LB CAP.		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	3.93		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Swivel	Break:	No
Weight:	4.14	Load Limit:	550
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50402-S		
Description:	CASTER 4X2 PHENOLIC SWVL W/TLB 550LB CAP		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	3.93		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Swivel	Break:	Total Lock
Weight:	4.82	Load Limit:	550
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50500-R		
Description:	CASTER 5X2 PHENOLIC RIGID 700LB CAP.		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	4.92		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Rigid	Break:	No
Weight:	4.07	Load Limit:	700
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50500-S		
Description:	CASTER 5X2 PHENOLIC SWIVEL 700LB CAP.		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	4.92		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Swivel	Break:	No
Weight:	4.88	Load Limit:	700
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50502-S		
Description:	CASTER 5X2 PHENOLIC SWVL W/TLB 700LB CAP		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	4.92		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Swivel	Break:	Total Lock
Weight:	5.41	Load Limit:	700
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50600-R		
Description:	CASTER 6X2 PHENOLIC RIGID 800LB CAP.		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	6.29		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Rigid	Break:	No
Weight:	4.73	Load Limit:	800
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50600-S		
Description:	CASTER 6X2 PHENOLIC SWIVEL 800LB CAP.		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	6.29		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Swivel	Break:	No
Weight:	5.41	Load Limit:	800
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50602-S		
Description:	CASTER 6X2 PHENOLIC SWVL W/TLB 800LB CAP		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	6.29		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Swivel	Break:	Total Lock
Weight:	6.16	Load Limit:	800
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50800-R		
Description:	CASTER 8X2 PHENOLIC SWIVEL 900LB CAP.		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	7.87		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Swivel	Break:	No
Weight:	6.23	Load Limit:	900
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50800-S		
Description:	CASTER 8X2 PHENOLIC SWIVEL 900LB CAP.		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	7.87		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Swivel	Break:	No
Weight:	7.15	Load Limit:	900
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Phenolic Casters**

Part Number:	TGC-50802-S		
Description:	CASTER 8X2 PHENOLIC SWVL W/TLB 900LB CAP		
Wheel Material:	PHENOLIC		
Wheel Colour:	BLACK		
Wheel Diameter:	7.87		
Wheel Thickness:	1.96		
Plate Material:	metal sheet		
Plate Colour:	ZINC		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.81		
Plate Length:	4.48		
Overall Width:	0	Overall Height:	0
Swivel Radius:	0	Bearing Type:	ROLLER
Body:	Swivel	Break:	Total Lock
Weight:	7.79	Load Limit:	900
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10300-R		
Description:	CASTER 3" RIGID BLUE RUBBER 220LB CAP.		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	3.14		
Wheel Thickness:	1.25		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	3-1/16 x 2-3/8		
Plate Width:	3.22		
Plate Length:	4.01		
Overall Width:	1.57	Overall Height:	4.13
Swivel Radius:	0	Bearing Type:	roller
Body:	Rigid	Break:	No
Weight:	1	Load Limit:	220
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10300-S		
Description:	CASTER 3" SWIVEL BLU RUBBER 220LB CAP.		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	3.14		
Wheel Thickness:	1.25		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	3-1/16 x 2-3/8		
Plate Width:	3.22		
Plate Length:	4.01		
Overall Width:	1.57	Overall Height:	
Swivel Radius:	1.25	Bearing Type:	roller
Body:	Swivel	Break:	No
Weight:	1.5	Load Limit:	220
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-



**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10302-S		
Description:	CASTER 3" TLB SWIVEL BLU RUBBER 220LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	3.14		
Wheel Thickness:	1.25		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	3-1/16 x 2-3/8		
Plate Width:	3.22		
Plate Length:	4.01		
Overall Width:	1.57	Overall Height:	4.13
Swivel Radius:	1.25	Bearing Type:	roller
Body:	Swivel	Break:	Total Lock
Weight:	1.75	Load Limit:	220
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10400-R		
Description:	CASTER 4" RIGID BLUE RUBBER 330LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	3.93		
Wheel Thickness:	1.41		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	3-1/16 x 2-3/8		
Plate Width:	3.22		
Plate Length:	4.01		
Overall Width:	1.57	Overall Height:	5.03
Swivel Radius:	0	Bearing Type:	roller
Body:	Rigid	Break:	No
Weight:	1.25	Load Limit:	330
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10400-S		
Description:	CASTER 4" SWIVEL BLU RUBBER 330LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	3.93		
Wheel Thickness:	1.41		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	3-1/16 x 2-3/8		
Plate Width:	3.22		
Plate Length:	4.01		
Overall Width:	1.57	Overall Height:	5.03
Swivel Radius:	1.29	Bearing Type:	roller
Body:	Swivel	Break:	No
Weight:	1.75	Load Limit:	330
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10402-S		
Description:	CASTER 4" TLB SWIVEL BLU RUBBER 330LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	3.93		
Wheel Thickness:	1.41		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	3-1/16 x 2-3/8		
Plate Width:	3.22		
Plate Length:	4.01		
Overall Width:	1.57	Overall Height:	5.03
Swivel Radius:	1.29	Bearing Type:	roller
Body:	Swivel	Break:	Total Lock
Weight:	2.3	Load Limit:	330
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10500-R		
Description:	CASTER 5" RIGID BLUE RUBBER 440LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	4.92		
Wheel Thickness:	1.49		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	3-1/16 x 2-3/8		
Plate Width:	3.22		
Plate Length:	4.01		
Overall Width:	1.69	Overall Height:	6.1
Swivel Radius:	0	Bearing Type:	roller
Body:	Rigid	Break:	No
Weight:	1.95	Load Limit:	440
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10500-S		
Description:	CASTER 5" SWIVEL BLU RUBBER 440LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	4.92		
Wheel Thickness:	1.49		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	3-1/16 x 2-3/8		
Plate Width:	3.22		
Plate Length:	4.01		
Overall Width:	1.69	Overall Height:	6.1
Swivel Radius:	1.37	Bearing Type:	roller
Body:	Swivel	Break:	No
Weight:	2.3	Load Limit:	440
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10502-S		
Description:	CASTER 5" TLB SWIVEL BLU RUBBER 440LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	4.92		
Wheel Thickness:	1.49		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	3-1/16 x 2-3/8		
Plate Width:	3.22		
Plate Length:	4.01		
Overall Width:	1.69	Overall Height:	6.1
Swivel Radius:	1.37	Bearing Type:	roller
Body:	Swivel	Break:	Total Lock
Weight:	2.8	Load Limit:	440
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10600-R		
Description:	CASTER 6" RIGID BLUE RUBBER 700LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	5.9		
Wheel Thickness:	1.96		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	4-1/8 x 3-1/16		
Plate Width:	4.33		
Plate Length:	5.31		
Overall Width:	2.32	Overall Height:	7.67
Swivel Radius:	0	Bearing Type:	roller
Body:	Rigid	Break:	No
Weight:	4.05	Load Limit:	700
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10600-S		
Description:	CASTER 6" SWIVEL BLU RUBBER 700LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	5.9		
Wheel Thickness:	1.96		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	4-1/8 x 3-1/16		
Plate Width:	4.33		
Plate Length:	5.31		
Overall Width:	2.32	Overall Height:	7.67
Swivel Radius:	1.77	Bearing Type:	roller
Body:	Swivel	Break:	No
Weight:	4.9	Load Limit:	700
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Blue Rubber Casters**

Part Number:	TGC-10602-S		
Description:	CASTER 6" TLB SWIVEL BLU RUBBER 700LB CAP		
Wheel Material:	Rubber/Nylon		
Wheel Colour:	blue		
Wheel Diameter:	5.9		
Wheel Thickness:	1.96		
Plate Material:	steel		
Plate Colour:	Zinc		
Bolt Hole Pattern:	4-1/8 x 3-1/16		
Plate Width:	4.33		
Plate Length:	5.31		
Overall Width:	2.32	Overall Height:	7.67
Swivel Radius:	1.77	Bearing Type:	roller
Body:	Swivel	Break:	Total Lock
Weight:	6.25	Load Limit:	700
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30400-R		
Description:	CASTER 4" RIGID ORG POLYURATHAN 600LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	3.93		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	5.62
Swivel Radius:	0	Bearing Type:	Ball Brg.
Body:	Rigid	Break:	No
Weight:	3.34	Load Limit:	600
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30400-S		
Description:	CASTER 4" SWIVEL ORG POLYURATHAN 600LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	3.93		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	5.62
Swivel Radius:	3.3	Bearing Type:	Ball Brg.
Body:	Swivel	Break:	No
Weight:	3.64	Load Limit:	600
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30402-S		
Description:	CASTER 4"TLB SWVL OG POLYURATHAN 600LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	3.93		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	5.62
Swivel Radius:	3.3	Bearing Type:	Ball Brg.
Body:	Swivel	Break:	Total Lock
Weight:	4.73	Load Limit:	600
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30500-R		
Description:	CASTER 5" RIGID ORG POLYURATHAN 750LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	4.92		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	6.45
Swivel Radius:	0	Bearing Type:	Ball Brg.
Body:	Rigid	Break:	No
Weight:	3.85	Load Limit:	750
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30500-S		
Description:	CASTER 5" SWIVEL ORG POLYURATHAN 750LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	4.92		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	6.45
Swivel Radius:	4.01	Bearing Type:	Ball Brg.
Body:	Swivel	Break:	No
Weight:	4.82	Load Limit:	750
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30502-S		
Description:	CASTER 5"TLB SWVL OG POLYURATHAN 750LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	4.92		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	6.45
Swivel Radius:	4.01	Bearing Type:	Ball Brg.
Body:	Swivel	Break:	Total Lock
Weight:	5.89	Load Limit:	750
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30600-R		
Description:	CASTER 6" RIGID ORG POLYURATHAN 900LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	5.9		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	7.48
Swivel Radius:	0	Bearing Type:	Ball Brg.
Body:	Rigid	Break:	No
Weight:	4.41	Load Limit:	800
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30600-S		
Description:	CASTER 6" SWIVEL ORG POLYURATHAN 900LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	5.9		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	7.48
Swivel Radius:	4.76	Bearing Type:	Ball Brg.
Body:	Swivel	Break:	No
Weight:	5.42	Load Limit:	800
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30602-S		
Description:	CASTER 6"TLB SWVL OG POLYURATHAN 900LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	5.9		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	7.48
Swivel Radius:	4.76	Bearing Type:	Ball Brg.
Body:	Swivel	Break:	Total Lock
Weight:	6.54	Load Limit:	800
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30800-R		
Description:	CASTER 8" RIGID ORG POLYURATHAN 900LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	7.87		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	9.44
Swivel Radius:	0	Bearing Type:	Ball Brg.
Body:	Rigid	Break:	No
Weight:	5.79	Load Limit:	900
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30800-S		
Description:	CASTER 8" SWIVEL ORG POLYURATHAN 900LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	7.87		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	9.44
Swivel Radius:	6.29	Bearing Type:	Ball Brg.
Body:	Swivel	Break:	No
Weight:	6.75	Load Limit:	900
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-





**Product Specifications:
Orange Polyurathane Casters**

Part Number:	TGC-30802-S		
Description:	CASTER 8"TLB SWVL OG POLYURATHAN 900LBCAP		
Wheel Material:	PU / PP		
Wheel Colour:	Orange		
Wheel Diameter:	7.87		
Wheel Thickness:	1.77		
Plate Material:	steel		
Plate Colour:	Black		
Bolt Hole Pattern:	3-3/8 x 2-13/16		
Plate Width:	3.93		
Plate Length:	4.52		
Overall Width:	1.96	Overall Height:	9.44
Swivel Radius:	6.29	Bearing Type:	Ball Brg.
Body:	Swivel	Break:	Total Lock
Weight:	7.85	Load Limit:	900
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-

