

Part Number:	SA-14-IDI	
Description:	IDI CARBIDE BUR I	DOUBLE CUT
Head Shape:	Cylindrical Plain er	nd
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.25	Inch
SHALIK SIZE:	6.35	MM
Shank Length:	1.37	Inch
Shank Length:	34.92	MM
Cutting Dic :	0.18	Inch
Cutting Dia.:	4.76	MM
Cut Length:	0.62	Inch
cut Lengtin.	15.88	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	-	Standard Number
Testing Date:	-	Testing Company



Part Number:	SA-1-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Cylindrical Plain e	nd	
Cut:	Double Cut		
Structure:	Solid		
Shank Size:	0.25	Inch	
Silalik Size.	6.35	MM	
Shank Length:	1.37	Inch	
Shank Length.	34.92	MM	
Cutting Dia.:	0.25	Inch	
Cutting Did	6.35	ММ	
Cut Length:	0.62	Inch	
eut zengtii.	15.88	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	Plastic tube with two end cap	
Master Case Qty	400		
ANSI Standard Testing:	Standard Number:		
Testing Date:	-	Testing Compa	any:



Part Number:	SA-1L6-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT LG SHANK		
Head Shape:	Cylindrical Plain e	nd	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Stiatik Size:	6.35	MM	
Shank Langth	5.28	Inch	
Shank Length:	134.12	MM	
Cutting Dia.:	0.25	Inch	
Cutting Dia.:	6.35	MM	
Cut Length:	0.62	Inch	
eut Lengtii.	15.88	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	200		
ANSI Standard Testing:	Standard Number:		
Testing Date:	-	Testing Compa	ny:



Part Number:	SA-2-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Cylindrical Plain e	nd	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	MM	
Shank Length:	2	Inch	
Juank Length.	50.8	MM	
Cutting Dia.:	0.31	Inch	
Cutting Did	7.94	MM	
Cut Length:	0.75	Inch	
eut zengtii.	19.05	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	Standard Number:		
Testing Date:	-	Testing Compa	any:



Part Number:	SA-3-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT	
Head Shape:	Cylindrical Plain e	nd
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Silalik Size.	6.35	MM
Shank Length:	2	Inch
Shank Length.	50.8	MM
Cutting Dia.:	0.37	Inch
Cutting Dia.:	9.53	MM
Cut Length:	0.75	Inch
eut Length.	19.05	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	Standard Number:	
Testing Date:	-	Testing Compa



5		
Part Number:	SA-3L4-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT LONG SHNK	
Head Shape:	Cylindrical Plain e	nd
Cut:	Double Cut	
Structure:	Brazed	
Charalt Cina	0.25	Inch
Shank Size:	6.35	ММ
Chank Langth	3.18	Inch
Shank Length:	80.95	ММ
Cutting Dia :	0.37	Inch
Cutting Dia.:	9.53	MM
Cut Length:	0.75	Inch
Cut Length.	19.05	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	120	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



	Т		
Part Number:	SA-3L6-IDI		
Description:	IDI CARBIDE BUR I SHANK	OOUBLE CUT LG	
Head Shape:	Cylindrical Plain e	nd	
Cut:	Double Cut		
Structure:	Brazed		
Charle Cina	0.25	Inch	
Shank Size:	6.35	ММ	
Chank Langth	5.15	Inch	
Shank Length:	130.95	MM	
Cutting Dia.:	0.37	Inch	
Cutting Dia	9.53	MM	
Cut Length:	0.75	Inch	
Cut Length.	19.05	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	wo end cap	
Master Case Qty	120		3 7 3
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-



Part Number:	SA-3NF-IDI	
Description:	IDI CARBIDE BUR NON-FERROUS	
Head Shape:	Cylindrical Plain e	nd
Cut:	Aluma cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Snank Size:	6.35	ММ
Shank Length:	2	Inch
Silalik Leligtii.	50.8	MM
Cutting Dia.:	0.37	Inch
Cutting Did	9.53	MM
Cut Length:	0.75	Inch
Cut Length.	19.05	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	240	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SA-41-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT	
Head Shape:	Cylindrical Plain e	nd
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.12	Inch
Stidtik Size:	3.18	MM
Shank Length:	1.25	Inch
Silalik Leligtii:	31.75	MM
Cutting Dia.:	0.06	Inch
Cutting Did	1.59	ММ
Cut Length:	0.25	Inch
Cut Length.	6.35	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SA-43-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT	
Head Shape:	Cylindrical Plain er	nd
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.12	Inch
Stidfik Size:	3.18	ММ
Shank Length:	0.93	Inch
Shank Length.	23.81	MM
Cutting Dia.:	0.12	Inch
Cutting Dia	3.18	MM
Cut Length:	0.56	Inch
Cut Length.	14.29	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SA-43SC-IDI	
Description:	IDI CARBIDE BUR SINGLE CUT	
Head Shape:	Cylindrical Plain er	nd
Cut:	Single cut	
Structure:	Solid	
Shank Size:	0.12	Inch
Stidtik Size:	3.18	MM
Shank Length:	0.93	Inch
Silalik Leligtii.	23.81	MM
Cutting Dia.:	0.12	Inch
Cutting Dia	3.18	ММ
Cut Length:	0.56	Inch
Cut Length.	14.29	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SA-4-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Cylindrical Plain e	nd	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	MM	
Shank Length:	2	Inch	
Shank Length.	50.8	MM	
Cutting Dia.:	0.43	Inch	
Cutting Did	11.11	MM	
Cut Length:	1	Inch	
eut Lengtii.	25.4	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	240		
ANSI Standard Testing:	Standard Number:		
Testing Date:	-	Testing Comp	any:



Part Number:	SA-53-IDI	
Description:	IDI CARBIDE BUR I	DOUBLE CUT
Head Shape:	Cylindrical Plain e	nd
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.12	Inch
Silalik Size.	3.18	MM
Shank Length:	1	Inch
Shank Length.	25.4	MM
Cutting Dia.:	0.18	Inch
Cutting Did	4.76	ММ
Cut Length:	0.5	Inch
eut Lengtii.	12.7	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	-	Standa Numb
Testing Date:	-	Testing Compar



Part Number:	SA-5-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Cylindrical Plain e	nd	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size.	6.35	MM	
Shank Length:	2	Inch	
Shank Length.	50.8	MM	
Cutting Dia.:	0.5	Inch	
Cutting Did	12.7	MM	
Cut Length:	1	Inch	
eut Lengtii.	25.4	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	Plastic tube with two end cap	
Master Case Qty	240		
ANSI Standard Testing:	-	Standa Numbe	
Testing Date:	-	Testing Compan	



Part Number:	SA-5L6-IDI	
Description:	IDI CARBIDE BUR SHANK	DOUBLE CUT LG
Head Shape:	Cylindrical Plain e	nd
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAHK SIZE:	6.35	MM
Shank Length:	4.9	Inch
Jilalik Leligui.	124.6	ММ
Cutting Dia.:	0.5	Inch
Cutting Dia	12.7	MM
Cut Length:	1	Inch
eut zengtii.	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	120	
ANSI Standard Testing:	-	Standar Numbe
Testing Date:	- Testing Company:	



Part Number:	SA-5NF-IDI		
Description:	IDI CARBIDE BUR	NON-FERROUS	
Head Shape:	Cylindrical Plain e	nd	
Cut:	Aluma cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	MM	
Shank Length:	2	Inch	
Shank Length.	50.8	MM	
Cutting Dia.:	0.5	Inch	
Cutting Dia	12.7	MM	
Cut Length:	1	Inch	
eut zengtii.	25.4	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	Plastic tube with two end cap	
Master Case Qty	240		
ANSI Standard Testing:	-	Standar Numbe	
Testing Date:	-	Testing Compan	



Part Number:	SA-6-IDI	
Description:	IDI CARBIDE BUR I	DOUBLE CUT
Head Shape:	Cylindrical Plain e	nd
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Sildlik SiZe:	6.35	MM
Shank Length:	2	Inch
Shank Length.	50.8	MM
Cutting Dia.:	0.62	Inch
Cutting Dia	15.88	MM
Cut Length:	1	Inch
eut Lengtii.	25.4	ММ
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	200	
ANSI Standard Testing:	-	Standa Numbe
Testing Date:	- Testing Company:	



Part Number:	SA-7-IDI	
Description:	IDI CARBIDE BUR I	DOUBLE CUT
Head Shape:	Cylindrical Plain e	nd
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Silalik Size:	6.35	MM
Shank Length:	2	Inch
Shank Length.	50.8	MM
Cutting Dia.:	0.75	Inch
Cutting Dia	19.05	MM
Cut Length:	1	Inch
cut Length.	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	80	
ANSI Standard Testing:	-	Standar Numbe
Testing Date:	-	Testing Compan



Part Number:	SA-9-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Cylindrical Plain e	nd	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Stiatik Size:	6.35	MM	
Chank Langth	2	Inch	
Shank Length:	50.8	MM	
Coulding a Dis	1	Inch	
Cutting Dia.:	25.4	MM	
Cut Length:	1	Inch	
	25.4	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	wo end cap	
Master Case Qty	80		
ANSI Standard Testing:	-	Stand Numb	
Testing Date:	-	Testing Compa	ny:



Part Number:	SB-11-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Cylindrical End Cu	t	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	MM	
Shank Length:	1.5	Inch	
Shank Length:	38.1	MM	
Cutting Dia.:	0.12	Inch	
Cutting Dia.:	3.18	MM	
Cut Length:	0.5	Inch	
eut Length.	12.7	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	Plastic tube with two end cap	
Master Case Qty	400		
ANSI Standard Testing:	-	Standa Numb	
Testing Date:	-	Testing Compa	



Part Number:	SB-1-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Cylindrical End Cu	it	
Cut:	Double Cut		
Structure:	Solid		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	ММ	
Shank Length:	1.37	Inch	
Juank Length.	34.92	ММ	
Cutting Dia.:	0.25	Inch	
Cutting Dia	6.35	ММ	
Cut Length:	0.62	Inch	
Cut Length.	15.88	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	Plastic tube with two end cap	
Master Case Qty	400		
ANSI Standard Testing:	-		ndard mber:
Testing Date:	-	Testing Comp	pany:



Part Number:	SB-3-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Cylindrical End Cu	t
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Snank Size:	6.35	ММ
Shank Length:	2	Inch
Sharik Length.	50.8	MM
Cutting Dia.:	0.37	Inch
Cutting Dia	9.53	MM
Cut Length:	0.75	Inch
Cut Length.	19.05	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	240	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SB-43-IDI	
Description:	IDI CARBIDE BUR I	DOUBLE CUT
Head Shape:	Cylindrical End Cu	t
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.12	Inch
SHAHK SIZE:	3.18	MM
Shank Length:	0.93	Inch
Julik Lengul.	23.81	ММ
Cutting Dia.:	0.12	Inch
	3.18	MM
Cut Length:	0.56	Inch
Cat Length.	14.29	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



	<u></u>	
Part Number:	SB-5-IDI	
Description:	IDI CARBIDE BUR [OOUBLE CUT
Head Shape:	Cylindrical End Cu	t
Cut:	Double Cut	
Structure:	Brazed	
Charali Cia	0.25	Inch
Shank Size:	6.35	MM
Chank Langth	2	Inch
Shank Length:	50.8	MM
Cutting Dis :	0.5	Inch
Cutting Dia.:	12.7	ММ
Cut Length:	1	Inch
Cat Length.	25.4	MM
Weight:	0.15 lbs.	_
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	240	
ANSI Standard Testing:	-	Standar Numbe
Testing Date:	-	Testing Company



Part Number:	SC-1-IDI	
Description:	IDI CARBIDE BUR [OOUBLE CUT
Head Shape:	Cylindrical w/ball	end
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.25	Inch
Snank Size:	6.35	ММ
Shank Length:	1.37	Inch
Silalik Leligtii.	34.92	MM
Cutting Dia.:	0.25	Inch
Cutting Dia	6.35	MM
Cut Length:	0.62	Inch
Cut Length.	15.88	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	Standard Number	
Testing Date:	-	Testing Company:



Part Number:	SC-1L6-IDI		
Description:	IDI CARBIDE BUR DOUBLE C		T LG
Head Shape:	Cylindrical w/ball	end	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	li .	nch
Shalik 2126:	6.35	N	ИМ
Shank Length:	5.28	lı	nch
Shank Length:	134.12	N	ИМ
Cutting Dia.:	0.25	lı	nch
Cutting Dia.:	6.35	N	ИМ
Cut Length:	0.62	lı	nch
Cut Length.	15.88	N	ИΜ
Weight:	0 lbs.		
Packaging:	Plastic tube with two end cap)
Master Case Qty	200		
ANSI Standard Testing:	_		Standard Number:
Testing Date:	-	Testing Co	ompany:



Part Number:	SC-2-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Cylindrical w/ball	end
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAFIK SIZE:	6.35	MM
Shank Length:	2	Inch
Judin Length.	50.85	ММ
Cutting Dia.:	0.31	Inch
Cutting Dia	7.94	MM
Cut Length:	0.75	Inch
Cut Length.	19.05	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	- Standard Number	
Testing Date:	-	Testing Company:



Part Number:	SC-2L6-IDI		
Description:	IDI CARBIDE BUR I SHANK	DOUBLE CUT LG	
Head Shape:	Cylindrical w/ball	end	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Snank Size:	6.35	MM	
Shank Longth	5.15	Inch	
Shank Length:	130.95	MM	
Cutting Dia.:	0.31	Inch	
Cutting Dia.:	7.94	MM	
Cut Length:	0.75	Inch	
eut Lengtii.	19.05	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	200		
ANSI Standard Testing:	-	Standard Number:	
Testing Date:	-	Testing Compa	any:



Part Number:	SC-3-IDI		
Description:	IDI CARBIDE BUR DOUBLE		Т
Head Shape:	Cylindrical w/ball	end	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Ir	nch
SHALIK SIZE.	6.35	N	ΛM
Shank Length:	2	Ir	nch
Jilalik Leligtii.	50.8	N	ИΜ
Cutting Dia.:	0.37	Ir	nch
Catting Dian	9.53	N	ИM
Cut Length:	0.75	Ir	nch
cat Length.	19.05	N	ИΜ
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap)
Master Case Qty	240		
ANSI Standard Testing:	_		Standard Number:
Testing Date:	-	Testing Co	ompany:



Part Number:	SC-3L6-IDI	
Description:	IDI CARBIDE BUR I SHANK	DOUBLE CUT LG
Head Shape:	Cylindrical w/ball	end
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAHK SIZE:	6.35	MM
Shank Length:	5.15	Inch
Shank Length:	130.95	MM
Cutting Dia.:	0.37	Inch
Cutting Dia.:	9.53	MM
Cut Length:	0.75	Inch
eut Lengtii.	19.05	ММ
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	120	
ANSI Standard Testing:	- Standard Number:	
Testing Date:	-	Testing Compar



Part Number:	SC-3NF-IDI	
Description:	IDI CARBIDE BUR I	NON-FERROUS
Head Shape:	Cylindrical w/ball	end
Cut:	Aluma cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAFIK SIZE:	6.35	MM
Shank Length:	2	Inch
Shank rength:	50.85	MM
Cutting Dia :	0.37	Inch
Cutting Dia.:	9.53	MM
Cut Length:	0.75	Inch
Cut Length.	19.05	ММ
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	Standard - Number:	
Testing Date:	-	Testing Compa



Part Number:	SC-41-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Cylindrical w/ball	end
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.12	Inch
SHAHK SIZE:	3.18	MM
Shank Length:	1.06	Inch
Silalik Leligili.	26.99	MM
Cutting Dia.:	0.09	Inch
Cutting Dia	2.38	MM
Cut Length:	0.43	Inch
Cut Length.	11.11	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	Standard Number:	
Testing Date:	-	Testing Company:



Part Number:	SC-42-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Cylindrical w/ball	end
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.12	Inch
Stiatik Size:	3.18	MM
Shank Length:	0.93	Inch
Silalik Leligili.	23.81	MM
Cutting Dia.:	0.12	Inch
Cutting Dia.:	3.18	MM
Cut Length:	0.56	Inch
Cut Length.	14.29	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	- Standard - Number	
Testing Date:	-	Testing Company:



Part Number:	SC-42SC-IDI		
Description:	IDI CARBIDE BUR SINGLE C		Т
Head Shape:	Cylindrical w/ball	end	
Cut:	Single cut		
Structure:	Solid		
Shank Size:	0.12		Inch
SHAHR SIZE:	3.18		MM
Shank Length:	0.93		Inch
Shank Length:	23.81		MM
Cutting Dis :	0.12		Inch
Cutting Dia.:	3.18		MM
Cut Length:	0.56	-	Inch
cut Length.	14.29		MM
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		р
Master Case Qty	400		
ANSI Standard Testing:	-	Standa Numbe	
Testing Date:	-	Testing C	Company:



Part Number:	SC-4-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Cylindrical w/ball	end
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Stidtik Size:	6.35	MM
Shank Length:	2	Inch
Julik Lengul.	50.8	ММ
Cutting Dia.:	0.43	Inch
	11.11	MM
Cut Length:	1	Inch
Cut Length.	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	Standa - Numbe	
Testing Date:	-	Testing Company:



Part Number:	SC-51-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Cylindrical w/ball	end
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.12	Inch
SHAHK SIZE:	3.18	MM
Shank Length:	1.5	Inch
Jilank Length.	38.1	MM
Cutting Dia.:	0.25	Inch
Catting Dia	6.35	MM
Cut Length:	0.5	Inch
cat Length.	12.7	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	- Standard - Number	
Testing Date:	-	Testing Company:



Part Number:	SC-5-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT	
Head Shape:	Cylindrical w/ball	end
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAHK SIZE:	6.35	MM
Shank Length:	2	Inch
Shank Length.	50.8	MM
Cutting Dia.:	0.5	Inch
Catting Dia	12.7	MM
Cut Length:	1	Inch
Cat Length.	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	Standard Number:	
Testing Date:	-	Testing Company:



			T
Part Number:	SC-5L6-IDI		
Description:	IDI CARBIDE BUR I SHANK	DOUBLE CUT LG	
Head Shape:	Cylindrical w/ball	end	
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Shank Size:	6.35	MM	
Chank Langth	4.9	Inch	
Shank Length:	124.6	MM	
Cutting Dia.:	0.5	Inch	
Cutting Dia	12.7	MM	
Cut Length:	1	Inch	
eut zengtii.	25.4	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	120		
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-



Part Number:	SC-5NF-IDI	
Description:	IDI CARBIDE BUR NON-FERROUS	
Head Shape:	Cylindrical w/ball	end
Cut:	Aluma cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAHK SIZE:	6.35	MM
Shank Length:	2	Inch
Shank Length.	50.8	MM
Cutting Dia.:	0.5	Inch
Catting Dia	12.7	MM
Cut Length:	1	Inch
Cat Length.	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	Standard Number:	
Testing Date:	-	Testing Company:



Part Number:	SC-6-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT	
Head Shape:	Cylindrical w/ball	end
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAHK SIZE:	6.35	MM
Shank Length:	2	Inch
Shank Length.	50.8	ММ
Cutting Dia.:	0.62	Inch
Cutting Did	15.88	ММ
Cut Length:	1	Inch
Cut Length.	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	200	
ANSI Standard Testing:	Standard Number:	
Testing Date:	-	Testing Company:



Part Number:	SD-14-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Ball		
Cut:	Double Cut		
Structure:	Solid		
Shank Size:	0.25	Inch	
Sildlik Size:	6.35	MM	
Shank Length:	1.84	Inch	
Silalik Leligili.	46.83	MM	
Cutting Dia.:	0.18	Inch	
Cutting Dia	4.76	MM	
Cut Length:	0.15	Inch	
eut Length.	3.97	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	Standard Number:		
Testing Date:	- Testing Company:		any:



Part Number:	SD-1-IDI-BUR		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Ball		
Cut:	Double Cut		
Structure:	Solid		
Shank Size:	0.25	Inch	
SHAFIK SIZE:	6.35	MM	
Shank Length:	1.78	Inch	
Shank Length:	45.24	MM	
Cutting Dia.:	0.25	Inch	
Cutting Did	6.35	MM	
Cut Length:	0.21	Inch	
eut Length.	5.56	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	Standard Number:		
Testing Date:	- Testing Company:		pany:



Part Number:	SD-1SC-IDI	
Description:	IDI CARBIDE BUR SINGLE CUT	
Head Shape:	Ball	
Cut:	Single cut	
Structure:	Solid	
Shank Size:	0.25	Inch
Stidtik Size:	6.35	ММ
Chank Longth	1.78	Inch
Shank Length:	45.24	MM
Cutting Dia :	0.25	Inch
Cutting Dia.:	6.35	MM
Cut Length:	0.21	Inch
Cut Length:	5.56	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	Standard Number:	
Testing Date:	-	Testing Company:



Part Number:	SD-2-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Ball		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	ММ	
Shank Length:	2	Inch	
Snank Length:	50.85	ММ	
Cutting Dia :	0.31	Inch	
Cutting Dia.:	7.94	ММ	
Cut Length:	0.25	Inch	
cut Length.	6.35	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	Standard Number:		
Testing Date:	- Testing Company:		any:



Part Number:	SD-3-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Ball		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
SHAHR SIZE:	6.35	MM	
Shank Length:	2	Inch	
Shank Length:	50.8	MM	
Cutting Dia.:	0.37	Inch	
Cuttilig Did	9.53	MM	
Cut Length:	0.31	Inch	
eut Length.	7.94	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	240		
ANSI Standard Testing:	Standard Number:		
Testing Date:	- Testing Company:		any:



Part Number:	SD-3L6-IDI	
Description:	IDI CARBIDE BUR I SHANK	DOUBLE CUT LG
Head Shape:	Ball	
Cut:	Double Cut	
Structure:	Brazed	
Charle:	0.25	Inch
Shank Size:	6.35	ММ
Chamlet - :+!	5.59	Inch
Shank Length:	142.06	ММ
Coulding a Dis-	0.37	Inch
Cutting Dia.:	9.53	ММ
Cut Length:	0.31	Inch
Cut Length.	7.94	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	120	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SD-3NF-IDI	
Description:	IDI CARBIDE BUR NON-FERROUS	
Head Shape:	Ball	
Cut:	Aluma cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAHR SIZE:	6.35	MM
Shank Length:	2	Inch
Shank Length:	50.8	MM
Cutting Dia.:	0.37	Inch
Cuttilig Did	9.53	MM
Cut Length:	0.31	Inch
cut Length.	7.94	ММ
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	Standard Number:	
Testing Date:	- Testing Company:	



Part Number:	SD-41-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT	
Head Shape:	Ball	
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.12	Inch
Snank Size:	3.18	ММ
Shank Length:	1.43	Inch
Shank rength:	36.51	MM
Cutting Dia.:	0.09	Inch
Cutting Did	2.38	ММ
Cut Length:	0.06	Inch
Cut Length.	1.59	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	Standard Number:	
Testing Date:	-	Testing Company:



Part Number:	SD-42-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	Г
Head Shape:	Ball		
Cut:	Double Cut		
Structure:	Solid		
Shank Size:	0.12	In	ich
Stiank Size:	3.18	M	IM
Chank Langth	1.4	In	ıch
Shank Length:	35.72	M	IM
Cutting Dic :	0.12	In	ıch
Cutting Dia.:	3.18	M	IM
Cut Length:	0.09	In	ich
Cut Length.	2.38	M	IM
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	-		tandard Iumber:
Testing Date:	-	Testing Co	mpany:



Part Number:	SD-51-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Ball		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.12	Inch	
Silalik Size:	3.18	ММ	
Shank Length:	1.46	Inch	
Shank Length.	37.3	ММ	
Cutting Dia.:	0.25	Inch	
Cutting Dia	6.35	ММ	
Cut Length:	0.21	Inch	
eut zengtii.	5.56	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	- Standard Number:		
Testing Date:	-	Testing Comp	oany:



Part Number:	SD-5-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Ball		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	MM	
Shank Length:	2	Inch	
Snank Length:	50.8	MM	
Cutting Dia.:	0.5	Inch	
Cutting Dia.:	12.7	MM	
Cut Length:	0.43	Inch	
cut Length.	11.11	ММ	
Weight:	0.15 lbs.	0.15 lbs.	
Packaging:	Plastic tube with two end cap		
Master Case Qty	240		
ANSI Standard Testing:	- Standard Number:		
Testing Date:	-	Testing Comp	any:



Part Number:	SD-5NF-IDI		
Description:	IDI CARBIDE BUR	NON-FERROUS	
Head Shape:	Ball		
Cut:	Aluma cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Sildlik Size:	6.35	ММ	
Shank Length:	2	Inch	
Shank Length:	50.8	MM	
Cutting Dia.:	0.5	Inch	
Cutting Dia	12.7	ММ	
Cut Length:	0.43	Inch	
eut Lengtii.	11.11	MM	
Weight:	0.15 lbs.	0.15 lbs.	
Packaging:	Plastic tube with two end cap		
Master Case Qty	240		
ANSI Standard Testing:	- Standard Number:		
Testing Date:	-	Testing Compa	



Part Number:	SD-6-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Ball		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	h
SHAFIK SIZE:	6.35	MM	1
Shank Length:	1.99	Inch	h
Snank Length:	50.79	MM	1
Cutting Dis :	0.62	Inch	h
Cutting Dia.:	15.88	MN	1
Cut Length:	0.56	Inch	h
Cut Length.	14.3	MM	1
Weight:	0.15 lbs.	0.15 lbs.	
Packaging:	Plastic tube with two end cap		
Master Case Qty	200		
ANSI Standard Testing:	-		ndard mber:
Testing Date:	-	Testing Com	npany:



Part Number:	SD-7-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Ball		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	MM	
Shank Length:	2	Inch	
Juank Length.	50.8	MM	
Cutting Dia.:	0.75	Inch	
Cutting Dia	19.05	MM	
Cut Length:	0.68	Inch	
eut Lengtii.	17.46	MM	
Weight:	0.15 lbs.	0.15 lbs.	
Packaging:	Plastic tube with two end cap		
Master Case Qty	80		
ANSI Standard Testing:	Standard Number:		
Testing Date:	-	Testing Compa	ny:



			T
Part Number:	SE-1-IDI		
Description:	IDI CARBIDE BUR [OOUBLE CUT	
Head Shape:	Oval		
Cut:	Double Cut		
Structure:	Solid		
Chaul Cias	0.25	Inch	
Shank Size:	6.35	MM	
Chank Langth	1.62	Inch	
Shank Length:	41.27	MM	
Cutting Dia	0.25	Inch	
Cutting Dia.:	6.35	MM	
Cut Length:	0.37	Inch	
cut Length.	9.53	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-



Part Number:	SE-3-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Oval	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Shank Size:	6.35	MM
Shank Length:	2	Inch
Shark Length.	50.8	MM
Cutting Dia.:	0.37	Inch
Cutting Dia	9.53	MM
Cut Length:	0.62	Inch
Cut Length.	15.88	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SE-3L6-IDI	
Description:	IDI CARBIDE BUR E SHANK	OOUBLE CUT LG
Head Shape:	Oval	
Cut:	Double Cut	
Structure:	Brazed	
SI I S	0.25	Inch
Shank Size:	6.35	MM
Charles	5.28	Inch
Shank Length:	134.12	MM
Country D'	0.37	Inch
Cutting Dia.:	9.53	MM
Cut Length:	0.62	Inch
Cut Length.	15.88	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	120	
ANSI Standard Testing:	-	Standard Number
Testing Date:	-	Testing Company



Part Number:	SE-51-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Oval	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.12	Inch
Stidtik Size:	3.18	ММ
Shank Length:	1.62	Inch
Shank Length.	41.27	MM
Cutting Dia.:	0.25	Inch
Cutting Dia	6.35	MM
Cut Length:	0.37	Inch
Cut Length.	9.53	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SE-5-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Oval		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
SHAFIK SIZE:	6.35	MM	
Shank Length:	2	Inch	
Snank Length:	50.8	MM	
Cutting Dia.:	0.5	Inch	
Cutting Dia	12.7	MM	
Cut Length:	0.87	Inch	
Cut Length.	22.23	MM	
Weight:	0.15 lbs.	0.15 lbs.	
Packaging:	Plastic tube with two end cap		
Master Case Qty	240		
ANSI Standard Testing:	-	Stand Num	
Testing Date:	-	Testing Compa	any:



Part Number:	SE-6-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Oval	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAIIK SIZE:	6.35	MM
Shank Length:	2	Inch
Shank Length.	50.8	MM
Cutting Dia.:	0.62	Inch
Cutting Dia	15.88	MM
Cut Length:	1	Inch
Cut Length.	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	200	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SF-13-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Round tree		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
SHAHK SIZE:	6.35	ММ	
Shank Length:	2	Inch	
Snank Length:	50.8	ММ	
Cutting Dia :	0.5	Inch	
Cutting Dia.:	12.7	ММ	
Cut Length:	0.75	Inch	
eut Length.	19.05	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	wo end cap	
Master Case Qty	240		
ANSI Standard Testing:	-		dard nber:
Testing Date:	-	Testing Comp	oany:



Part Number:	SF-1-IDI-BUR	
Description:	IDI CARBIDE BUR I	DOUBLE CUT
Head Shape:	Round tree	
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.25	Inch
Shank Size:	6.35	MM
Shank Length:	1.37	Inch
Silalik Leligtii.	34.92	MM
Cutting Dia.:	0.25	Inch
Cutting Dia	6.35	MM
Cut Length:	0.62	Inch
Cut Length.	15.88	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	Standard Number:	
Testing Date:	-	Testing Company:



Part Number:	SF-3-IDI	
Description:	IDI CARBIDE BUR I	OOUBLE CUT
Head Shape:	Round tree	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAHK SIZE:	6.35	MM
Shank Length:	2	Inch
Jilalik Leligili.	50.8	MM
Cutting Dia.:	0.37	Inch
Cutting Dia	9.53	MM
Cut Length:	0.75	Inch
Cut Length.	19.05	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	240	
ANSI Standard Testing:	Standard Number:	
Testing Date:	-	Testing Company:



Part Number:	SF-3L6-IDI		
Description:	IDI CARBIDE BUR I SHANK	OOUBLE CUT LG	
Head Shape:	Round tree		
Cut:	Double Cut		
Structure:	Brazed		
Charlet	0.25	Inch	
Shank Size:	6.35	MM	
Charles at	5.15	Inch	
Shank Length:	130.95	MM	
C 111 - C'	0.37	Inch	
Cutting Dia.:	9.53	MM	
Cut Length:	0.75	Inch	
Cut Length.	19.05	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	Plastic tube with two end cap	
Master Case Qty	120		
ANSI Standard Testing:	-	Standard Number	
Testing Date:	-	Testing Company	



Part Number:	SF-3NF-IDI		
Description:	IDI CARBIDE BUR	NON-FERROUS	
Head Shape:	Round tree		
Cut:	Aluma cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	MM	
Shank Length:	2	Inch	
Juank Length.	50.8	MM	
Cutting Dia.:	0.37	Inch	
Cutting Dia	9.53	MM	
Cut Length:	0.75	Inch	
eut Lengtii.	19.05	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	240		
ANSI Standard Testing:	-	Stand Numb	
Testing Date:	-	Testing Compa	any:



Part Number:	SF-42-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Round tree		
Cut:	Double Cut		
Structure:	Solid		
Shank Size:	0.12	Inch	
Silalik Size:	3.18	MM	
Shank Length:	1	Inch	
Shank Length.	25.4	MM	
Cutting Dia.:	0.12	Inch	
Cutting Dia	3.18	MM	
Cut Length:	0.5	Inch	
eut zengtii.	12.7	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	Standard Number:		
Testing Date:	-	Testing Compa	ıny:



Part Number:	SF-5-IDI	
Description:	IDI CARBIDE BUR I	DOUBLE CUT
Head Shape:	Round tree	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Silalik Size:	6.35	MM
Shank Length:	2	Inch
Shank Length:	50.8	MM
Cutting Dia.:	0.5	Inch
Cutting Dia.:	12.7	MM
Cut Length:	1	Inch
Cut Length.	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	-	Standa Numb
Testing Date:	-	Testing Compa



Part Number:	SF-5L6-IDI		
Description:	IDI CARBIDE BUR I SHANK	OOUBLE CUT LG	
Head Shape:	Round tree		
Cut:	Double Cut		
Structure:	Brazed		
Chaul Cias	0.25	Inch	
Shank Size:	6.35	MM	
Shank Length:	4.9	Inch	3.
Shank Length.	124.6	MM	
Cutting Dia.:	0.5	Inch	
Cutting Dia	12.7	MM	
Cut Length:	1	Inch	
Cut Length.	25.4	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	wo end cap	
Master Case Qty	120		
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-



Part Number:	SF-5NF-IDI		
Description:	IDI CARBIDE BUR	NON-FERROUS	
Head Shape:	Round tree		
Cut:	Aluma cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
SHAHR SIZE:	6.35	MM	
Shank Length:	2	Inch	
Shank Length.	50.8	MM	
Cutting Dia.:	0.5	Inch	
Cutting Dia	12.7	MM	
Cut Length:	1	Inch	
eut zengtii.	25.4	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	Plastic tube with two end cap	
Master Case Qty	240		
ANSI Standard Testing:	-	Standa Numbe	
Testing Date:	-	Testing Compan	



Part Number:	SF-6-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Round tree		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size.	6.35	MM	
Shank Length:	2	Inch	
Shank Length.	50.8	MM	
Cutting Dia.:	0.62	Inch	
Cutting Dia.:	15.88	MM	
Cut Length:	1	Inch	
eut Lengtii.	25.4	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	200		
ANSI Standard Testing:	Standard Number:		
Testing Date:	-	Testing Compa	any:



Part Number:	SF-6NF-IDI		
Description:	IDI CARBIDE BUR	NON-FERROUS	
Head Shape:	Round tree		
Cut:	Aluma cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Sildlik SiZe:	6.35	MM	
Shank Length:	2	Inch	
Shank Length:	50.8	MM	
Cutting Dia.:	0.62	Inch	
Cuttilig Did	15.88	MM	
Cut Length:	1	Inch	
eut Lengtii.	25.4	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	Plastic tube with two end cap	
Master Case Qty	200		
ANSI Standard Testing:	Standard Number:		
Testing Date:	-	Testing Compan	



Part Number:	SF-7-IDI		
Description:	IDI CARBIDE BUR	DOUBLE CUT	
Head Shape:	Round tree		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
SHAHK SIZE:	6.35	MM	
Shank Length:	2	Inch	
Shank Length:	50.8	MM	
Cutting Dia :	0.75	Inch	
Cutting Dia.:	19.05	MM	
Cut Length:	1	Inch	
cut Length.	25.4	25.4 MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	Plastic tube with two end cap	
Master Case Qty	80		
ANSI Standard Testing:	-	Stand Numl	
Testing Date:	-	Testing Compa	any:



Part Number:	SG-13-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Pointed tree	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Stidfik Size:	6.35	ММ
Shank Longth	2	Inch
Shank Length:	50.8	MM
Cutting Dia :	0.5	Inch
Cutting Dia.:	12.7	MM
Cut Length:	0.75	Inch
cut Length:	19.05	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	240	
ANSI Standard Testing:	- Standar Number	
Testing Date:	-	Testing Company:



Part Number:	SG-1-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Pointed tree	
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.25	Inch
Stidtik Size:	6.35	ММ
Chank Longth	1.37	Inch
Shank Length:	34.92	MM
Cutting Dia :	0.25	Inch
Cutting Dia.:	6.35	MM
Cut Longth	0.62	Inch
Cut Length:	15.88	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	_ Standa - Numbe	
Testing Date:	-	Testing Company:



Part Number:	SG-2-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Pointed tree		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	1
SHAFIK SIZE:	6.35	MM	1
Shank Length:	2	Inch	1
Shank Length:	50.8	MM	1
Cutting Dia.:	0.31	Inch	1
Cutting Did	7.94	MM	1
Cut Length:	0.75	Inch	า
cut Length.	19.05	MM	1
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	Standard Number:		
Testing Date:	-	Testing Com	ipany:



Part Number:	SG-3-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Pointed tree		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
SHAIR SIZE:	6.35	ММ	
Shank Length:	2	Inch	
Shank Length:	50.8	ММ	
Cutting Dis :	0.37	Inch	
Cutting Dia.:	9.53	ММ	
Cut Length:	0.75	Inch	
eut Length.	19.05	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	240		
ANSI Standard Testing:	Standard Number:		
Testing Date:	- Testing Company:		oany:



Part Number:	SG-51-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Pointed tree	
Cut:	Double Cut	
Structure:	Brazed	
Chank Ciza	0.12	Inch
Shank Size:	3.18	MM
Shank Longth	1.5	Inch
Shank Length:	38.1	MM
Cutting Dia.:	0.25	Inch
Cutting Dia.:	6.35	MM
Cut Length:	0.5	Inch
Cut Length:	12.7	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	- Standar Number	
Testing Date:	-	Testing Company:



Part Number:	SG-5-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Pointed tree	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
SHAFIK SIZE:	6.35	ММ
Shank Longth	2	Inch
Shank Length:	50.8	MM
Cutting Dia :	0.5	Inch
Cutting Dia.:	12.7	MM
Cut Length:	1	Inch
Cut Length.	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	Standar Numbe	
Testing Date:	-	Testing Company:



Part Number:	SG-5L6-IDI		
Description:	IDI CARBIDE BUR I SHANK	OOUBLE CUT LG	
Head Shape:	Pointed tree		
Cut:	Double Cut		
Structure:	Brazed		
Charl C'	0.25	Inch	
Shank Size:	6.35	ММ	
Charle Langth.	4.9	Inch	
Shank Length:	124.6	MM	0.69
Cutting Dio	0.5	Inch	
Cutting Dia.:	12.7	MM	
Cut Length:	1	Inch	
Cut Length.	25.4	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	120		\$ 10 To
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-



Part Number:	SG-6-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Pointed tree		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silatik Size.	6.35	MM	
Shank Length:	2	Inch	
Shank Length.	50.8	MM	
Cutting Dia.:	0.62	Inch	
Cutting Dia	15.88	MM	
Cut Length:	1	Inch	
eut zengtii.	25.4	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	200		
ANSI Standard Testing:	- Standard Number		
Testing Date:	- Testing Company:		any:



Part Number:	SH-1-IDI-BUR		
Description:	IDI CARBIDE BUR [DOUBLE CUT	
Head Shape:	Flame		
Cut:	Double Cut		
Structure:	Solid		
Shank Size:	0.25	Inch	
SHALIK SIZE:	6.35	MM	
Shank Length:	1.37	Inch	
Shank Length:	34.92	MM	
Cutting Dia :	0.25	Inch	
Cutting Dia.:	6.35	MM	
Cut Length:	0.62	Inch	
cat Length.	15.88	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	wo end cap	
Master Case Qty	400		
ANSI Standard Testing:	-	Standa Numb	
Testing Date:	-	Testing Compar	ny:



Part Number:	SH-2L6-IDI		
Description:	IDI CARBIDE BUR I SHANK	DOUBLE CUT LG	j
Head Shape:	Flame		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Shank Size:	6.35	ММ	
Shank Length:	5.15	Inch	
Shank Length.	130.95	MM	
Cutting Dia.:	0.31	Inch	
Cutting Dia	7.94	MM	
Cut Length:	0.75	Inch	
cut Length.	19.05	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	200		
ANSI Standard Testing:	- Standar Number		
Testing Date:	-	Testing Comp	any:



Part Number:	SH-41-IDI	
Description:	IDI CARBIDE BUR I	DOUBLE CUT
Head Shape:	Flame	
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.12	Inch
Silalik Size:	3.18	MM
Shank Length:	1.25	Inch
Shank rength:	31.75	MM
Cutting Dia.:	0.12	Inch
Cutting Did	3.18	MM
Cut Length:	0.25	Inch
Cut Length.	6.35	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	Standard Number:	
Testing Date:	- Testing Company:	



Part Number:	SH-5-IDI	
Description:	IDI CARBIDE BUR [OOUBLE CUT
Head Shape:	Flame	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Stiatik Size:	6.35	MM
Shank Length:	2	Inch
Jilalik Leligill.	50.8	ММ
Cutting Dia.:	0.5	Inch
Cutting Dia	12.7	ММ
Cut Length:	1.25	Inch
Cut Length.	31.75	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	240	
ANSI Standard Testing:	Standard Number	
Testing Date:	-	Testing Company:



Part Number:	SH-6-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Flame		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	ММ	
Shank Length:	2.01	Inch	
Shank Length:	51.3	MM	
Cutting Dia.:	0.62	Inch	
Cutting Dia	15.88	ММ	
Cut Length:	1.41	Inch	
Cut Length.	36	ММ	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	two end cap	
Master Case Qty	200		
ANSI Standard Testing:	-		ndard mber:
Testing Date:	-	Testing Comp	pany:



Part Number:	SL-1-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Cone Round End		
Cut:	Double Cut		
Structure:	Solid		
Shank Size:	0.25	Inch	١
Silalik Size.	6.35	MM	1
Shank Length:	1.37	Inch	1
Shank Length.	34.92	MM	1
Cutting Dia.:	0.25	Inch	1
Cutting Dia	6.35	ММ	1
Cut Length:	0.62	Inch	1
eut zengtii.	15.88	ММ	1
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	wo end cap	
Master Case Qty	400		
ANSI Standard Testing:	-		ndard mber:
Testing Date:	-	Testing Com	pany:



Part Number:	SL-1L6-IDI	
Description:	IDI CARBIDE BUR I SHANK	DOUBLE CUT LG
Head Shape:	Cone Round End	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Stiatik Size:	6.35	MM
Shank Length:	5.28	Inch
Judik Lengui.	134.12	MM
Cutting Dia.:	0.25	Inch
Cutting Dia.:	6.35	MM
Cut Length:	0.62	Inch
Cut Length.	15.88	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	200	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SL-2-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Cone Round End		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
SHAHK SIZE:	6.35	ММ	
Shank Length:	2	Inch	
Shank Length:	50.8	ММ	
Cutting Dia.:	0.31	Inch	
Cutting Did	7.94	ММ	
Cut Length:	0.87	Inch	
Cut Length.	22.23	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	two end cap	
Master Case Qty	400		
ANSI Standard Testing:	-		dard ber:
Testing Date:	-	Testing Comp	any:



Part Number:	SL-3-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Cone Round End	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Snank Size:	6.35	ММ
Shank Length:	2	Inch
Shank Length.	50.8	MM
Cutting Dia.:	0.37	Inch
Cutting Dia	9.53	MM
Cut Length:	1.06	Inch
Cut Length.	26.99	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	240	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SL-3L6-IDI	
Description:	IDI CARBIDE BUR I SHANK	DOUBLE CUT LG
Head Shape:	Cone Round End	
Cut:	Double Cut	
Structure:	Brazed	
Charl C'	0.25	Inch
Shank Size:	6.35	ММ
Chank Langth	4.84	Inch
Shank Length:	123.01	MM
Cutting Die	0.37	Inch
Cutting Dia.:	9.53	ММ
Cut Length:	1.06	Inch
cut tength:	26.99	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	120	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SL-3NF-IDI	
Description:	IDI CARBIDE BUR I	NON-FERROUS
Head Shape:	Cone Round End	
Cut:	Aluma cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Stidtik Size:	6.35	MM
Shank Langth	2	Inch
Shank Length:	50.8	MM
Cutting Dia :	0.37	Inch
Cutting Dia.:	9.53	MM
Cut Length:	1.06	Inch
Cut Length.	26.99	ММ
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	240	
ANSI Standard Testing:	-	Standar Number
Testing Date:	-	Testing Company



Part Number:	SL-41-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Cone Round End	
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.12	Inch
Stiatik Size:	3.18	ММ
Shank Longth	1.12	Inch
Shank Length:	28.57	MM
Cutting Dia.:	0.12	Inch
Cuttilig Did	3.18	MM
Cut Length:	0.37	Inch
Cut Length.	9.53	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SL-4-IDI	
Description:	IDI CARBIDE BUR [DOUBLE CUT
Head Shape:	Cone Round End	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Snank Size:	6.35	ММ
Shank Length:	2	Inch
Shank rength:	50.8	MM
Cutting Dia.:	0.5	Inch
Cutting Did	12.7	MM
Cut Length:	1.12	Inch
Cut Length:	28.58	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	240	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



			1
Part Number:	SL-4NF-IDI		
Description:	IDI CARBIDE BUR I	NON-FERROUS	
Head Shape:	Cone Round End		
Cut:	Aluma cut		
Structure:	Brazed		
Charle Cino	0.25	Inch	
Shank Size:	6.35	MM	
Charle Langth.	2	Inch	
Shank Length:	50.8	ММ	
Cutting Dia	0.5	Inch	
Cutting Dia.:	12.7	ММ	
Cut Length:	1.12	Inch	
Cut Length.	28.58	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	wo end cap	
Master Case Qty	240		
ANSI Standard Testing:	-	Standard Number:	-
Testing Date:	-	Testing Company:	-



Part Number:	SL-53-IDI		
Description:	IDI CARBIDE BUR I	DOUBLE CUT	
Head Shape:	Cone Round End		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.12	Inch	
SHAHR SIZE.	3.18	MM	
Shank Length:	1	Inch	
Shank Length.	25.4	MM	
Cutting Dia.:	0.18	Inch	
Cutting Did	4.76	ММ	
Cut Length:	0.5	Inch	
eut Lengtii.	12.7	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with t	wo end cap	
Master Case Qty	400		
ANSI Standard Testing:	-	Stand Num	
Testing Date:	-	Testing Compa	any:



Part Number:	SM-1-IDI	
Description:	IDI CARBIDE BUR I	DOUBLE CUT
Head Shape:	Cone Pointed End	
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.25	Inch
Silalik Size:	6.35	MM
Shank Length:	1.5	Inch
Shank Length:	38.1	MM
Cutting Dia.:	0.25	Inch
Cuttilig Did	6.35	MM
Cut Length:	0.5	Inch
cut Length.	12.7	ММ
Weight:	0.15 lbs.	
Packaging:	Plastic tube with t	wo end cap
Master Case Qty	400	
ANSI Standard Testing:	-	Standa Numbe
Testing Date:	-	Testing Compar



Part Number:	SM-3-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Cone Pointed End		
Cut:	Double Cut		
Structure:	Solid		
Shank Size:	0.25	Incl	h
SHALIK 2176:	6.35	MN	Л
Shank Length:	1	Incl	h
Shank Length:	25.4	MM	1
Cutting Dia.:	0.25	Incl	h
Cutting Dia.:	6.35	MN	л
0	1		h
Cut Length:	25.4	MN	Л
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	400		
ANSI Standard Testing:	-		ndard ımber:
Testing Date:	-	Testing Com	npany:



Part Number:	SM-41-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT	
Head Shape:	Cone Pointed End	
Cut:	Double Cut	
Structure:	Solid	
Shank Size:	0.12	Inch
Slidlik Size:	3.18	ММ
Shank Length:	1.15	Inch
Shank Length.	29.37	MM
Cutting Dia.:	0.12	Inch
Cutting Dia	3.18	ММ
C. I.I. and h	0.34	Inch
Cut Length:	8.73	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	400	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SM-4-IDI		
Description:	IDI CARBIDE BUR DOUBLE CUT		
Head Shape:	Cone Pointed End		
Cut:	Double Cut		
Structure:	Brazed		
Shank Size:	0.25	Inch	
Silalik Size:	6.35	MM	
Shank Length:	2	Inch	
Juank Length.	50.92	MM	
Cutting Dia.:	0.37	Inch	
Cutting Dia	9.53	MM	
Cut Length:	0.62	Inch	
cut Length.	15.88	MM	
Weight:	0.15 lbs.		
Packaging:	Plastic tube with two end cap		
Master Case Qty	240		
ANSI Standard Testing:	-	Stand Num	
Testing Date:	-	Testing Compa	any:



Part Number:	SM-4L6-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT LG SHANK	
Head Shape:	Cone Pointed End	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Shank Size:	6.35	MM
Shank Length:	5.28	Inch
Shank Length.	134.12	MM
Cutting Dia.:	0.37	Inch
Cutting Dia	9.53	MM
Cut Length:	0.62	Inch
Cut Length.	15.88	ММ
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	120	
ANSI Standard Testing:	-	Standa Numb
Testing Date:	-	Testing Compa



Part Number:	SM-5-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT	
Head Shape:	Cone Pointed End	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Shank Size:	6.35	MM
Shank Length:	2	Inch
Sharik Length.	50.8	MM
Cutting Dia.:	0.5	Inch
Cutting Dia	12.7	MM
C. I.I. a saile	0.87	Inch
Cut Length:	22.23	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	240	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company:



Part Number:	SM-6-IDI	
Description:	IDI CARBIDE BUR DOUBLE CUT	
Head Shape:	Cone Pointed End	
Cut:	Double Cut	
Structure:	Brazed	
Shank Size:	0.25	Inch
Stidtik Size:	6.35	ММ
Shank Length:	2	Inch
Silalik Leligtii:	50.8	MM
Cutting Dia.:	0.62	Inch
Cuttilig Did	15.88	MM
Cost I are at lar.	1	Inch
Cut Length:	25.4	MM
Weight:	0.15 lbs.	
Packaging:	Plastic tube with two end cap	
Master Case Qty	200	
ANSI Standard Testing:	-	Standard Number:
Testing Date:	-	Testing Company: